

Package ‘ggblanket’

April 29, 2024

Title Simplify 'ggplot2' Visualisation

Version 8.0.0

Description Simplify 'ggplot2' visualisation with 'ggblanket' wrapper functions.

License MIT + file LICENSE

URL <https://davidhodge931.github.io/ggblanket/>,
<https://github.com/davidhodge931/ggblanket>

BugReports <https://github.com/davidhodge931/ggblanket/issues>

Imports dplyr (>= 1.0.4), farver, forcats, ggplot2 (>= 3.5.0), grid,
hms (>= 0.5.0), lubridate (>= 1.7.8), magrittr, purrr, rlang
(>= 1.1.0), scales (>= 1.3.0), snakecase, stringr (>= 1.3.0),
tidyr (>= 1.0.0), tidyselect (>= 1.2.0), viridisLite

Suggests spelling, hexbin, isoband, knitr, palmerpenguins, patchwork,
quantreg, rmarkdown, sf, testthat (>= 3.0.0), tibble, vdiff, viridis

VignetteBuilder knitr

Config/Needs/website corrr, farver, ggbeeswarm, ggblend, ggdensity,
ggdist, ggeasy, ggforce, ggh4x, gghighlight, ggnewscale,
ggrepel, ggridges, ggtext, glue, paletteer, showtext, sysfonts

Config/testthat/edition 3

Encoding UTF-8

Language en-GB

RoxygenNote 7.3.1

NeedsCompilation no

Author David Hodge [aut, cre, cph] (<<https://orcid.org/0000-0002-3868-7501>>)

Maintainer David Hodge <davidhodge931@gmail.com>

Repository CRAN

Date/Publication 2024-04-29 05:50:03 UTC

R topics documented:

aes_contrast	3
blue	5
darkness	5
dark_mode_b	6
dark_mode_n	8
dark_mode_r	10
dark_mode_t	12
gg_area	14
gg_bar	18
gg_bin_2d	22
gg_blanket	26
gg_boxplot	30
gg_col	34
gg_contour	38
gg_contour_filled	41
gg_crossbar	45
gg_density	49
gg_density_2d	53
gg_density_2d_filled	57
gg_errorbar	61
gg_freqpoly	65
gg_function	69
gg_hex	73
gg_histogram	77
gg_jitter	81
gg_label	85
gg_line	89
gg_linerange	92
gg_path	96
gg_point	100
gg_pointrange	104
gg_polygon	108
gg_qq	112
gg_quantile	116
gg_raster	120
gg_rect	124
gg_ribbon	128
gg_rug	132
gg_segment	136
gg_sf	140
gg_smooth	144
gg_step	148
gg_text	152
gg_tile	156
gg_violin	160
grey	164

greyness	164
grey_mode_b	165
grey_mode_n	167
grey_mode_r	169
grey_mode_t	171
jumble	173
lightness	174
light_mode_b	174
light_mode_n	176
light_mode_r	178
light_mode_t	180
navy	183
orange	183
pink	184
purple	184
red	185
replace_seq	185
set_blanket	186
teal	188
weave_annotate_aes	188
weave_col_palette_c	189
weave_col_palette_d	189
weave_geom_aes	190
weave_mode	190
weave_theme	191

Index 192

aes_contrast	<i>An auto-contrast colour aesthetic</i>
--------------	--

Description

A colour aesthetic for annotation that automatically contrasts with fill. Can be spliced into `ggplot2::aes` with `rlang::!!!`.

Usage

```
aes_contrast(mode_family = "light", dark = NULL, light = NULL)
```

Arguments

mode_family	The mode family to optimise light and dark colours for. Options are "light", "grey" or "dark".
dark	A dark colour. If NULL, uses mode_family optimised colour.
light	A light colour. If NULL, uses mode_family optimised colour.

Value

An aesthetic

Examples

```
library(ggplot2)
library(dplyr)
library(stringr)
library(palmerpenguins)

set_blanket()

penguins |>
  count(species, sex) |>
  gg_col(
    x = sex,
    y = n,
    col = species,
    label = n,
    position = position_dodge2(preserve = "single"),
    width = 0.75,
    x_labels = \(x) str_to_sentence(x),
  ) +
  geom_text(
    mapping = aes_contrast(),
    # mapping = aes(!!!aes_contrast()),
    position = position_dodge2(width = 0.75, preserve = "single"),
    vjust = 1.33,
    show.legend = FALSE,
  )

penguins |>
  count(species, sex) |>
  gg_col(
    x = sex,
    y = n,
    col = species,
    label = n,
    position = position_dodge2(preserve = "single"),
    width = 0.75,
    x_labels = \(x) str_to_sentence(x),
    mode = dark_mode_r(),
  ) +
  geom_text(
    mapping = aes_contrast("dark"),
    #' mapping = aes(!!!aes_contrast("dark")),
    position = position_dodge2(width = 0.75, preserve = "single"),
    vjust = 1.33,
    show.legend = FALSE,
  )
```

blue	<i>A blue colour</i>
------	----------------------

Description

A blue colour.

Usage

blue

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(blue)
```

darkness	<i>The dark_mode_* theme colours</i>
----------	--------------------------------------

Description

A vector of 3 colours used in the dark_mode_* themes for the for the text, axis.line (and axis.ticks), panel.grid, panel.background and plot.background etc.

Usage

darkness

Format

An object of class character of length 3.

Value

A character vector.

Examples

```
scales::show_col(darkness)
```

dark_mode_b

Dark mode theme with bottom legend

Description

Dark mode theme with bottom legend using darkness colours.

Usage

```
dark_mode_b(
  base_size = 11,
  base_family = "",
  base_colour = "#c8d7dfff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#00040aff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#050d1bff",
  plot_background_fill = "#00040aff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)
```

Arguments

base_size	The base size of the text theme element. Defaults to 11.
base_family	The base family of the text theme element. Defaults to "".
base_colour	The base colour of the text theme element.
axis_line_colour	The colour of the axis.line theme element.
axis_line_linewidth	The linewidth of the axis.line theme element.
axis_ticks_colour	The colour of the axis.ticks theme element.

axis_ticks_linewidth	The linewidth of the axis.ticks theme element.
axis_ticks_length_x	The length of the axis.ticks.length.x theme element.
axis_ticks_length_y	The length of the axis.ticks.length.y theme element.
panel_grid_colour	The colour of the panel.grid theme element.
panel_grid_linewidth	The linewidth of the panel.grid theme element.
panel_background_fill	The fill (and colour) of the panel.background theme element.
plot_background_fill	The fill (and colour) of the plot.background theme element.
legend_axis_line_colour	The colour of the legend.axis.line theme element.
legend_axis_line_linewidth	The linewidth of the legend.axis.line theme element.
legend_background_fill	The fill (and colour) of the legend.background theme element.
legend_key_fill	The fill (and colour) of the legend.key theme element.
legend_ticks_colour	The colour of the legend.ticks theme element.
legend_ticks_linewidth	The linewidth of the legend.ticks theme element.
legend_ticks_length	The legend.ticks.length theme element.
orientation	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of gg_* functions.
...	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
```

```

    col = species,
    mode = dark_mode_b()
  )

```

dark_mode_n

Dark mode theme with no legend

Description

Dark mode theme with no legend using darkness colours.

Usage

```

dark_mode_n(
  base_size = 11,
  base_family = "",
  base_colour = "#c8d7dfff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#00040aff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#050d1bff",
  plot_background_fill = "#00040aff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)

```

Arguments

base_size	The base size of the text theme element. Defaults to 11.
base_family	The base family of the text theme element. Defaults to "".
base_colour	The base colour of the text theme element.
axis_line_colour	The colour of the axis.line theme element.

<code>axis_line_linewidth</code>	The linewidth of the <code>axis.line</code> theme element.
<code>axis_ticks_colour</code>	The colour of the <code>axis.ticks</code> theme element.
<code>axis_ticks_linewidth</code>	The linewidth of the <code>axis.ticks</code> theme element.
<code>axis_ticks_length_x</code>	The length of the <code>axis.ticks.length.x</code> theme element.
<code>axis_ticks_length_y</code>	The length of the <code>axis.ticks.length.y</code> theme element.
<code>panel_grid_colour</code>	The colour of the <code>panel.grid</code> theme element.
<code>panel_grid_linewidth</code>	The linewidth of the <code>panel.grid</code> theme element.
<code>panel_background_fill</code>	The fill (and colour) of the <code>panel.background</code> theme element.
<code>plot_background_fill</code>	The fill (and colour) of the <code>plot.background</code> theme element.
<code>legend_axis_line_colour</code>	The colour of the <code>legend.axis.line</code> theme element.
<code>legend_axis_line_linewidth</code>	The linewidth of the <code>legend.axis.line</code> theme element.
<code>legend_background_fill</code>	The fill (and colour) of the <code>legend.background</code> theme element.
<code>legend_key_fill</code>	The fill (and colour) of the <code>legend.key</code> theme element.
<code>legend_ticks_colour</code>	The colour of the <code>legend.ticks</code> theme element.
<code>legend_ticks_linewidth</code>	The linewidth of the <code>legend.ticks</code> theme element.
<code>legend_ticks_length</code>	The <code>legend.ticks.length</code> theme element.
<code>orientation</code>	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the <code>mode</code> argument of <code>gg_*</code> functions.
<code>...</code>	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()
```

```
penguins |>
  gg_jitter(
    x = species,
    y = body_mass_g,
    col = species,
    mode = dark_mode_n()
  )
```

dark_mode_r

Dark mode theme with right legend

Description

Dark mode theme with right legend using darkness colours.

Usage

```
dark_mode_r(
  base_size = 11,
  base_family = "",
  base_colour = "#c8d7dfff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#00040aff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#050d1bff",
  plot_background_fill = "#00040aff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)
```

Arguments

base_size	The base size of the text theme element. Defaults to 11.
base_family	The base family of the text theme element. Defaults to "".

base_colour	The base colour of the text theme element.
axis_line_colour	The colour of the axis.line theme element.
axis_line_linewidth	The linewidth of the axis.line theme element.
axis_ticks_colour	The colour of the axis.ticks theme element.
axis_ticks_linewidth	The linewidth of the axis.ticks theme element.
axis_ticks_length_x	The length of the axis.ticks.length.x theme element.
axis_ticks_length_y	The length of the axis.ticks.length.y theme element.
panel_grid_colour	The colour of the panel.grid theme element.
panel_grid_linewidth	The linewidth of the panel.grid theme element.
panel_background_fill	The fill (and colour) of the panel.background theme element.
plot_background_fill	The fill (and colour) of the plot.background theme element.
legend_axis_line_colour	The colour of the legend.axis.line theme element.
legend_axis_line_linewidth	The linewidth of the legend.axis.line theme element.
legend_background_fill	The fill (and colour) of the legend.background theme element.
legend_key_fill	The fill (and colour) of the legend.key theme element.
legend_ticks_colour	The colour of the legend.ticks theme element.
legend_ticks_linewidth	The linewidth of the legend.ticks theme element.
legend_ticks_length	The legend.ticks.length theme element.
orientation	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of gg_* functions.
...	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```

library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = species,
    mode = dark_mode_r()
  )

```

dark_mode_t

Dark mode theme with top legend

Description

Dark mode theme with top legend using darkness colours.

Usage

```

dark_mode_t(
  base_size = 11,
  base_family = "",
  base_colour = "#c8d7dfff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#00040aff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#050d1bff",
  plot_background_fill = "#00040aff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)

```

Arguments

base_size	The base size of the text theme element. Defaults to 11.
base_family	The base family of the text theme element. Defaults to "".
base_colour	The base colour of the text theme element.
axis_line_colour	The colour of the axis.line theme element.
axis_line_linewidth	The linewidth of the axis.line theme element.
axis_ticks_colour	The colour of the axis.ticks theme element.
axis_ticks_linewidth	The linewidth of the axis.ticks theme element.
axis_ticks_length_x	The length of the axis.ticks.length.x theme element.
axis_ticks_length_y	The length of the axis.ticks.length.y theme element.
panel_grid_colour	The colour of the panel.grid theme element.
panel_grid_linewidth	The linewidth of the panel.grid theme element.
panel_background_fill	The fill (and colour) of the panel.background theme element.
plot_background_fill	The fill (and colour) of the plot.background theme element.
legend_axis_line_colour	The colour of the legend.axis.line theme element.
legend_axis_line_linewidth	The linewidth of the legend.axis.line theme element.
legend_background_fill	The fill (and colour) of the legend.background theme element.
legend_key_fill	The fill (and colour) of the legend.key theme element.
legend_ticks_colour	The colour of the legend.ticks theme element.
legend_ticks_linewidth	The linewidth of the legend.ticks theme element.
legend_ticks_length	The legend.ticks.length theme element.
orientation	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of gg_* functions.
...	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = species,
    mode = dark_mode_t()
  )
```

gg_area

Area ggplot

Description

Create an area ggplot with a wrapper around `ggplot2::ggplot() + geom_area()`.

Usage

```
gg_area(
  data = NULL,
  ...,
  stat = "align",
  position = "stack",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
  col = NULL,
  facet = NULL,
  facet2 = NULL,
  group = NULL,
  subgroup = NULL,
  label = NULL,
  text = NULL,
```

```
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,  
facet_axis_labels = "margins",  
facet_labels = NULL,  
facet_layout = NULL,  
facet_ncol = NULL,  
facet_nrow = NULL,  
facet_scales = "fixed",  
facet_space = "fixed",  
title = NULL,  
subtitle = NULL,  
caption = NULL,  
titles_to_case = snakecase::to_sentence_case  
)
```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks, y_breaks, col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand, y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.

<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. <code>"log10"</code>).
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> . Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> .
<code>facet_layout</code>	Whether the layout is to be <code>"wrap"</code> or <code>"grid"</code> . If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to <code>"wrap"</code> . If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to <code>"grid"</code> .
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of <code>"wrap"</code> .
<code>facet_scales</code>	Whether facet scales should be <code>"fixed"</code> across facets, <code>"free"</code> in both directions, or free in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>facet_space</code>	When the facet layout is <code>"grid"</code> and facet scales are not <code>"fixed"</code> , whether facet space should be <code>"fixed"</code> across facets, <code>"free"</code> to be proportional in both directions, or free to be proportional in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()
```

```
economics |>
  gg_area(
    x = date,
    y = unemploy,
    y_title = "Unemployment",
  )
```

gg_bar

Bar ggplot

Description

Create a bar ggplot with a wrapper around `ggplot2::ggplot() + geom_bar()`.

Usage

```
gg_bar(
  data = NULL,
  ...,
  stat = "count",
  position = "stack",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
  col = NULL,
  facet = NULL,
  facet2 = NULL,
  group = NULL,
  subgroup = NULL,
  label = NULL,
  text = NULL,
  sample = NULL,
  mapping = NULL,
  x_breaks = NULL,
  x_expand = NULL,
  x_expand_limits = NULL,
  x_labels = NULL,
  x_limits = NULL,
```

```

x_oob = scales::oob_keep,
x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in layer().
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position sub-

	class object minus the Position prefix (e.g. "identity"), or a position_*() function that outputs a ggproto Position subclass object (e.g. ggplot2::position_identity()).
coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. ggplot2::coord_cartesian()).
mode	A *_mode_* theme (e.g. light_mode_t(), grey_mode_r(), or dark_mode_r()). This argument adds the theme with side-effects, as the gg_* function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in ggplot2::aes(). Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A scales::breaks_* function (e.g. scales::breaks_pretty()), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the ggplot2::expansion() function, or a vector of length 2 (e.g. c(0, 0)).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with forcats::fct_expand.
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. \(\x\) stringr::str_to_sentence(x) or scales::label_comma()), or a vector of labels (Note this must be named for facet_labels).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with factor, forcats::fct_expand or forcats::fct_drop.
x_oob, y_oob, col_oob	For a continuous scale, a scales::oob_* function of how to handle values outside of limits. Defaults to scales::oob_keep.
x_position, y_position	The position of the axis (i.e. "left", "right", "bottom" or "top").If using y_position = "top" with a *_mode_* theme, add caption = "" or caption = "\n".
x_title, y_title, col_title	Axis title string. Use + ggplot2::labs(... = NULL) for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. scales::transform_log10()) or character string of this minus the transform_ prefix (e.g. "log10").
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.
col_legend_rev	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.

col_palette	Colour palette to use. A character vector of hex codes (or names).
col_palette_na	Colour palette to use for NA values. A character value of a hex code (or name).
col_rescale	For a continuous variable, a <code>scales::rescale()</code> function.
col_steps	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
facet_axes	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  tidyr::drop_na(sex) |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  gg_bar(
    y = species,
    col = sex,
    position = position_dodge(preserve = "single"),
```

```
    width = 0.75,  
  )
```

gg_bin_2d

Bin_2d ggplot

Description

Create a bin2d ggplot with a wrapper around `ggplot2::ggplot() + geom_bin_2d()`.

Usage

```
gg_bin_2d(  
  data = NULL,  
  ...,  
  stat = "bin2d",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,
```

```

y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).

mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
x_oob, y_oob, col_oob	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
x_position, y_position	The position of the axis (i.e. <code>"left"</code> , <code>"right"</code> , <code>"bottom"</code> or <code>"top"</code>). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
x_title, y_title, col_title	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_ prefix</code> (e.g. <code>"log10"</code>).
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.
col_legend_rev	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
col_palette	Colour palette to use. A character vector of hex codes (or names).
col_palette_na	Colour palette to use for NA values. A character value of a hex code (or name).
col_rescale	For a continuous variable, a <code>scales::rescale()</code> function.

<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + *_mode_*() may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
<code>facet_ncol</code> , <code>facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

diamonds |>
  gg_bin_2d(
    x = carat,
    y = price,
  )
```

`gg_blanket`*Blanket ggplot*

Description

Create a blanket ggplot with a wrapper around `ggplot2::ggplot() + layer()` with `geom_blank()` defaults. This function underlies all other `gg_*` functions. It contains a `geom` argument for maximum flexibility.

Usage

```
gg_blanket(  
  data = NULL,  
  ...,  
  geom = "blank",  
  stat = "identity",  
  position = "identity",  
  coord = NULL,  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,
```

```

y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
geom	A geometric object to display the data. A snakecase character string of a ggproto Geom subclass object minus the Geom prefix (e.g. "point").
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).

coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A *_mode_* theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the gg_* function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
x_oob, y_oob, col_oob	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
x_position, y_position	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a *_mode_* theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
x_title, y_title, col_title	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.
col_legend_rev	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
col_palette	Colour palette to use. A character vector of hex codes (or names).

col_palette_na	Colour palette to use for NA values. A character value of a hex code (or name).
col_rescale	For a continuous variable, a <code>scales::rescale()</code> function.
col_steps	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
facet_axes	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins %>%
  tidyr::drop_na(sex) %>%
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) %>%
  gg_blanket(
    geom = "violin",
    stat = "ydensity",
    position = "dodge",
    x = sex,
    y = body_mass_g,
```

```
col = sex,  
facet = species,  
mode = grey_mode_b(),  
)
```

gg_boxplot

Boxplot ggplot

Description

Create a boxplot ggplot with a wrapper around `ggplot2::ggplot() + geom_boxplot()`.

Usage

```
gg_boxplot(  
  data = NULL,  
  ...,  
  stat = "boxplot",  
  position = "dodge2",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",
```

```

x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).

coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A *_mode_* theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the gg_* function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
x_oob, y_oob, col_oob	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
x_position, y_position	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a *_mode_* theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
x_title, y_title, col_title	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.
col_legend_rev	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
col_palette	Colour palette to use. A character vector of hex codes (or names).

<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both facet and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol</code> , <code>facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  tidyr::drop_na(sex) |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  gg_boxplot(
    x = flipper_length_mm,
    y = sex,
    col = species,
    mode = light_mode_b(),
  )
```

`gg_col`*Col ggplot*

Description

Create a col ggplot with a wrapper around `ggplot2::ggplot() + geom_col()`.

Usage

```
gg_col(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "stack",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_*</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  tidyr::drop_na(sex) |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  group_by(sex, species) |>
  summarise(across(flipper_length_mm, \(x) mean(x, na.rm = TRUE))) |>
  gg_col(
    x = flipper_length_mm,
    y = species,
    col = sex,
    position = position_dodge(preserve = "single"),
    width = 0.75,
  )
```

`gg_contour`*Contour ggplot*

Description

Create a contour ggplot with a wrapper around `ggplot2::ggplot() + geom_contour()`.

Usage

```
gg_contour(  
  data = NULL,  
  ...,  
  stat = "contour",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_*</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

ggplot2::faithfuld |>
  gg_contour(
    x = waiting,
    y = eruptions,
    z = density,
  )
```

gg_contour_filled *Contour_filled ggplot*

Description

Create a contour_filled ggplot with a wrapper around `ggplot2::ggplot()` + `geom_contour_filled()`.

Usage

```
gg_contour_filled(  
  data = NULL,  
  ...,  
  stat = "contour_filled",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
  y_limits = NULL,  
  y_oob = scales::oob_keep,  
  y_position = "left",  
  y_title = NULL,  
  y_transform = NULL,  
  col_breaks = NULL,  
  col_expand_limits = NULL,  
  col_labels = NULL,  
  col_legend_ncol = NULL,
```

```

col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in layer().
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a position_*() function that outputs a ggproto Position subclass object (e.g. ggplot2::position_identity()).
coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. ggplot2::coord_cartesian()).
mode	A *_mode_* theme (e.g. light_mode_t(), grey_mode_r(), or dark_mode_r()). This argument adds the theme with side-effects, as the gg_* function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in ggplot2::aes(). Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A scales::breaks_* function (e.g. scales::breaks_pretty()), or a vector of breaks.

<code>x_expand, y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".

facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

faithfuld |>
  gg_contour_filled(
    x = waiting,
    y = eruptions,
    z = density,
    bins = 8,
  )
```

 gg_crossbar

Crossbar ggplot

Description

Create a crossbar ggplot with a wrapper around `ggplot2::ggplot() + geom_crossbar()`.

Usage

```
gg_crossbar(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
```

```
mode = NULL,  
x = NULL,  
xmin = NULL,  
xmax = NULL,  
xend = NULL,  
y = NULL,  
ymin = NULL,  
ymax = NULL,  
yend = NULL,  
z = NULL,  
col = NULL,  
facet = NULL,  
facet2 = NULL,  
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),
```

```

col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a <code>params</code> list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .

<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".

title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

data.frame(
  trt = factor(c(1, 1, 2, 2)),
  resp = c(1, 5, 3, 4),
  group = factor(c(1, 2, 1, 2)),
  upper = c(1.1, 5.3, 3.3, 4.2),
  lower = c(0.8, 4.6, 2.4, 3.6)) |>
  gg_crossbar(
    x = trt,
    y = resp,
    ymin = lower,
    ymax = upper,
    col = group,
    width = 0.5,
    x_title = "Treatment",
    y_title = "Response",
  )
```

gg_density

Density ggplot

Description

Create a density ggplot with a wrapper around `ggplot2::ggplot() + geom_density()`.

Usage

```
gg_density(
  data = NULL,
  ...,
  stat = "density",
  position = "identity",
```

```
coord = ggplot2::coord_cartesian(clip = "off"),
mode = NULL,
x = NULL,
xmin = NULL,
xmax = NULL,
xend = NULL,
y = NULL,
ymin = NULL,
ymax = NULL,
yend = NULL,
z = NULL,
col = NULL,
facet = NULL,
facet2 = NULL,
group = NULL,
subgroup = NULL,
label = NULL,
text = NULL,
sample = NULL,
mapping = NULL,
x_breaks = NULL,
x_expand = NULL,
x_expand_limits = NULL,
x_labels = NULL,
x_limits = NULL,
x_oob = scales::oob_keep,
x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
```

```

col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in layer().
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a position_*() function that outputs a ggproto Position subclass object (e.g. ggplot2::position_identity()).
coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. ggplot2::coord_cartesian()).
mode	A *_mode_* theme (e.g. light_mode_t(), grey_mode_r(), or dark_mode_r()). This argument adds the theme with side-effects, as the gg_* function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in ggplot2::aes(). Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A scales::breaks_* function (e.g. scales::breaks_pretty()), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the ggplot2::expansion() function, or a vector of length 2 (e.g. c(0, 0)).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with forcats::fct_expand.

<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".

title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  tidyr::drop_na(sex) |>
  gg_density(
    x = flipper_length_mm,
    col = species,
    mode = light_mode_t(),
  )
```

gg_density_2d	<i>Density_2d ggplot</i>
---------------	--------------------------

Description

Create a `density_2d` ggplot with a wrapper around `ggplot2::ggplot() + geom_density_2d()`.

Usage

```
gg_density_2d(
  data = NULL,
  ...,
  stat = "density_2d",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
```

```
ymin = NULL,  
ymax = NULL,  
yend = NULL,  
z = NULL,  
col = NULL,  
facet = NULL,  
facet2 = NULL,  
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,  
facet_axis_labels = "margins",  
facet_labels = NULL,
```

```

facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).

<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

faithful |>
  gg_density_2d(
    x = waiting,
    y = eruptions,
    bins = 8,
    contour = TRUE,
  )
```

gg_density_2d_filled *Density_2d_filled* ggplot

Description

Create a *density_2d_filled* ggplot with a wrapper around `ggplot2::ggplot() + geom_density_2d_filled()`.

Usage

```
gg_density_2d_filled(
  data = NULL,
  ...,
  stat = "density_2d_filled",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
  col = NULL,
  facet = NULL,
  facet2 = NULL,
```

```
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,  
facet_axis_labels = "margins",  
facet_labels = NULL,  
facet_layout = NULL,  
facet_ncol = NULL,  
facet_nrow = NULL,  
facet_scales = "fixed",  
facet_space = "fixed",  
title = NULL,  
subtitle = NULL,
```

```

caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in layer().
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a position_*() function that outputs a ggproto Position subclass object (e.g. ggplot2::position_identity()).
coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. ggplot2::coord_cartesian()).
mode	A *_mode_* theme (e.g. light_mode_t(), grey_mode_r(), or dark_mode_r()). This argument adds the theme with side-effects, as the gg_* function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in ggplot2::aes(). Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A scales::breaks_* function (e.g. scales::breaks_pretty()), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the ggplot2::expansion() function, or a vector of length 2 (e.g. c(0, 0)).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with forcats::fct_expand.
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. \(\x\) stringr::str_to_sentence(x) or scales::label_comma()), or a vector of labels (Note this must be named for facet_labels).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with factor, forcats::fct_expand or forcats::fct_drop.
x_oob, y_oob, col_oob	For a continuous scale, a scales::oob_* function of how to handle values outside of limits. Defaults to scales::oob_keep.

<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_ prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

faithful |>
  gg_density_2d_filled(
    x = waiting,
    y = eruptions,
    bins = 8,
    contour = TRUE,
  )
```

`gg_errorbar`*Errorbar ggplot*

Description

Create a errorbar ggplot with a wrapper around `ggplot2::ggplot() + geom_errorbar()`.

Usage

```
gg_errorbar(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
  col = NULL,
  facet = NULL,
  facet2 = NULL,
  group = NULL,
  subgroup = NULL,
  label = NULL,
  text = NULL,
```

```
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,  
facet_axis_labels = "margins",  
facet_labels = NULL,  
facet_layout = NULL,  
facet_ncol = NULL,  
facet_nrow = NULL,  
facet_scales = "fixed",  
facet_space = "fixed",  
title = NULL,  
subtitle = NULL,  
caption = NULL,  
titles_to_case = snakecase::to_sentence_case  
)
```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.

<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. <code>"log10"</code>).
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> . Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> .
<code>facet_layout</code>	Whether the layout is to be <code>"wrap"</code> or <code>"grid"</code> . If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to <code>"wrap"</code> . If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to <code>"grid"</code> .
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of <code>"wrap"</code> .
<code>facet_scales</code>	Whether facet scales should be <code>"fixed"</code> across facets, <code>"free"</code> in both directions, or free in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>facet_space</code>	When the facet layout is <code>"grid"</code> and facet scales are not <code>"fixed"</code> , whether facet space should be <code>"fixed"</code> across facets, <code>"free"</code> to be proportional in both directions, or free to be proportional in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()
```



```
data.frame(  
  trt = factor(c(1, 1, 2, 2)),  
  resp = c(1, 5, 3, 4),  
  group = factor(c(1, 2, 1, 2)),  
  upper = c(1.1, 5.3, 3.3, 4.2),  
  lower = c(0.8, 4.6, 2.4, 3.6)  
) |>  
gg_errorbar(  
  x = trt,  
  ymin = lower,  
  ymax = upper,  
  col = group,  
  width = 0.1,  
  x_title = "Treatment",  
  y_title = "Response",  
)
```

gg_freqpoly

Freqpoly ggplot

Description

Create a freqpoly ggplot with a wrapper around `ggplot2::ggplot() + geom_freqpoly()`.

Usage

```
gg_freqpoly(  
  data = NULL,  
  ...,  
  stat = "bin",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,
```

```
subgroup = NULL,
label = NULL,
text = NULL,
sample = NULL,
mapping = NULL,
x_breaks = NULL,
x_expand = NULL,
x_expand_limits = NULL,
x_labels = NULL,
x_limits = NULL,
x_oob = scales::oob_keep,
x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
```

```

  titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .

<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  gg_freqpoly(
    x = flipper_length_mm,
    col = sex,
    col_title = "",
    mode = light_mode_t(),
  )
```

gg_function

Function ggplot

Description

Create a function `ggplot` with a wrapper around `ggplot2::ggplot() + geom_function()`.

Usage

```
gg_function(
  data = NULL,
  ...,
  stat = "function",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
  col = NULL,
  facet = NULL,
  facet2 = NULL,
  group = NULL,
  subgroup = NULL,
  label = NULL,
```

```
text = NULL,
sample = NULL,
mapping = NULL,
x_breaks = NULL,
x_expand = NULL,
x_expand_limits = NULL,
x_labels = NULL,
x_limits = NULL,
x_oob = scales::oob_keep,
x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)
```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
x_oob, y_oob, col_oob	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
x_position, y_position	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
x_title, y_title, col_title	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.

<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. <code>"log10"</code>).
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> . Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> .
<code>facet_layout</code>	Whether the layout is to be <code>"wrap"</code> or <code>"grid"</code> . If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to <code>"wrap"</code> . If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to <code>"grid"</code> .
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of <code>"wrap"</code> .
<code>facet_scales</code>	Whether facet scales should be <code>"fixed"</code> across facets, <code>"free"</code> in both directions, or free in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>facet_space</code>	When the facet layout is <code>"grid"</code> and facet scales are not <code>"fixed"</code> , whether facet space should be <code>"fixed"</code> across facets, <code>"free"</code> to be proportional in both directions, or free to be proportional in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()
```



```
gg_function(  
  fun = \(x) dnorm(x, mean = 0, sd = 5),  
  x_limits = qnorm(p = c(0.005, 0.995), mean = 0, sd = 5),  
  y_expand_limits = 0,  
)
```

gg_hex

Hex ggplot

Description

Create a hex ggplot with a wrapper around `ggplot2::ggplot() + geom_hex()`.

Usage

```
gg_hex(  
  data = NULL,  
  ...,  
  stat = "binhex",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,
```

```

x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code>

	function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
x_oob, y_oob, col_oob	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
x_position, y_position	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
x_title, y_title, col_title	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.
col_legend_rev	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.

<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol</code> , <code>facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

diamonds |>
  gg_hex(
    x = carat,
    y = price,
    coord = coord_cartesian(clip = "on"),
    y_limits = c(0, 20000),
  )
```

gg_histogram	<i>Histogram ggplot</i>
--------------	-------------------------

Description

Create a histogram ggplot with a wrapper around `ggplot2::ggplot() + geom_histogram()`.

Usage

```
gg_histogram(  
  data = NULL,  
  ...,  
  stat = "bin",  
  position = "stack",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  gg_histogram(
    x = flipper_length_mm,
    col = sex,
    facet = species,
    bins = 50,
    mode = light_mode_b(),
  )
```

`gg_jitter`*Jitter ggplot*

Description

Create a jitter ggplot with a wrapper around `ggplot2::ggplot() + geom_jitter()`.

Usage

```
gg_jitter(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "jitter",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. <code>"left"</code> , <code>"right"</code> , <code>"bottom"</code> or <code>"top"</code>). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_*</code> prefix (e.g. <code>"log10"</code>).
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> . Sometimes <code>+ *_mode_*</code> may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

set.seed(123)

penguins |>
  gg_jitter(
    x = species,
    y = body_mass_g,
    col = flipper_length_mm,
    position = position_jitter(height = 0),
    y_expand_limits = 0,
    col_steps = TRUE,
  )
```

gg_label	<i>Label ggplot</i>
----------	---------------------

Description

Create a label ggplot with a wrapper around `ggplot2::ggplot() + geom_label()`.

Usage

```
gg_label(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
x_oob, y_oob, col_oob	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
x_position, y_position	The position of the axis (i.e. <code>"left"</code> , <code>"right"</code> , <code>"bottom"</code> or <code>"top"</code>). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
x_title, y_title, col_title	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_*</code> prefix (e.g. <code>"log10"</code>).
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.
col_legend_rev	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
col_palette	Colour palette to use. A character vector of hex codes (or names).
col_palette_na	Colour palette to use for NA values. A character value of a hex code (or name).
col_rescale	For a continuous variable, a <code>scales::rescale()</code> function.
col_steps	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
facet_axes	Whether to add interior axes and ticks with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> . Sometimes <code>+ *_mode_*</code> may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

bind_rows(
  mtcars |> slice_min(order_by = mpg),
  mtcars |> slice_max(order_by = mpg) |>
  tibble::rownames_to_column("model") |>
  gg_label(
    x = model,
    y = mpg,
    col = mpg,
    label = model,
    y_expand_limits = 0,
    y_title = "Miles per gallon",
    col_palette = c(orange, "white", teal),
  )
)
```

`gg_line`*Line ggplot*

Description

Create a line ggplot with a wrapper around `ggplot2::ggplot() + geom_line()`.

Usage

```
gg_line(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
x_oob, y_oob, col_oob	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
x_position, y_position	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
x_title, y_title, col_title	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.
col_legend_rev	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
col_palette	Colour palette to use. A character vector of hex codes (or names).
col_palette_na	Colour palette to use for NA values. A character value of a hex code (or name).
col_rescale	For a continuous variable, a <code>scales::rescale()</code> function.
col_steps	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
facet_axes	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

economics |>
  gg_line(
    x = date,
    y = unemploy,
    y_expand_limits = 0,
    y_title = "Unemployment",
  )
```

gg_linerange

Linerange ggplot

Description

Create a linerange ggplot with a wrapper around `ggplot2::ggplot() + geom_linerange()`.

Usage

```
gg_linerange(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
  y_limits = NULL,  
  y_oob = scales::oob_keep,  
  y_position = "left",  
  y_title = NULL,  
  y_transform = NULL,  
  col_breaks = NULL,  
  col_expand_limits = NULL,  
  col_labels = NULL,  
  col_legend_ncol = NULL,
```

```

col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.

<code>x_expand, y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".

facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

data.frame(
  trt = factor(c(1, 1, 2, 2)),
  resp = c(1, 5, 3, 4),
  group = factor(c(1, 2, 1, 2)),
  upper = c(1.1, 5.3, 3.3, 4.2),
  lower = c(0.8, 4.6, 2.4, 3.6)) |>
  gg_linerange(
    x = trt,
    ymin = lower,
    ymax = upper,
    col = group,
    position = position_dodge(width = 0.2),
    x_title = "Treatment",
    y_title = "Response",
  )
```

gg_path

Path ggplot

Description

Create a path ggplot with a wrapper around `ggplot2::ggplot() + geom_path()`.

Usage

```
gg_path(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
  y_limits = NULL,  
  y_oob = scales::oob_keep,  
  y_position = "left",  
  y_title = NULL,  
  y_transform = NULL,  
  col_breaks = NULL,  
  col_expand_limits = NULL,  
  col_labels = NULL,  
  col_legend_ncol = NULL,  
)
```

```

col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.

<code>x_expand, y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".

facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

economics |>
  mutate(unemploy_rate = unemploy / pop) |>
  gg_path(
    x = unemploy_rate,
    y = psavert,
    x_title = "Unemployment rate",
    y_expand_limits = 0,
    y_title = "Personal savings rate",
  )
```

 gg_point

Point ggplot

Description

Create a point ggplot with a wrapper around `ggplot2::ggplot() + geom_point()`.

Usage

```
gg_point(
  data = NULL,
  ...,
  stat = "identity",
```

```
position = "identity",
coord = ggplot2::coord_cartesian(clip = "off"),
mode = NULL,
x = NULL,
xmin = NULL,
xmax = NULL,
xend = NULL,
y = NULL,
ymin = NULL,
ymax = NULL,
yend = NULL,
z = NULL,
col = NULL,
facet = NULL,
facet2 = NULL,
group = NULL,
subgroup = NULL,
label = NULL,
text = NULL,
sample = NULL,
mapping = NULL,
x_breaks = NULL,
x_expand = NULL,
x_expand_limits = NULL,
x_labels = NULL,
x_limits = NULL,
x_oob = scales::oob_keep,
x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
```

```

col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in layer().
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a position_*() function that outputs a ggproto Position subclass object (e.g. ggplot2::position_identity()).
coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. ggplot2::coord_cartesian()).
mode	A *_mode_* theme (e.g. light_mode_t(), grey_mode_r(), or dark_mode_r()). This argument adds the theme with side-effects, as the gg_* function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in ggplot2::aes(). Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A scales::breaks_* function (e.g. scales::breaks_pretty()), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the ggplot2::expansion() function, or a vector of length 2 (e.g. c(0, 0)).

<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".

facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = sex,
  )
```

gg_pointrange

Pointrange ggplot

Description

Create a pointrange ggplot with a wrapper around `ggplot2::ggplot() + geom_pointrange()`.

Usage

```
gg_pointrange(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
```



```
xmin = NULL,  
xmax = NULL,  
xend = NULL,  
y = NULL,  
ymin = NULL,  
ymax = NULL,  
yend = NULL,  
z = NULL,  
col = NULL,  
facet = NULL,  
facet2 = NULL,  
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,
```

```

col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .

<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".

title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

data.frame(
  trt = factor(c(1, 1, 2, 2)),
  resp = c(1, 5, 3, 4),
  group = factor(c(1, 2, 1, 2)),
  upper = c(1.1, 5.3, 3.3, 4.2),
  lower = c(0.8, 4.6, 2.4, 3.6)) |>
  gg_pointrange(
    x = trt,
    y = resp,
    col = group,
    ymin = lower,
    ymax = upper,
    position = position_dodge(width = 0.2),
    x_title = "Treatment",
    y_title = "Response",
  )
```

gg_polygon

Polygon ggplot

Description

Create a polygon ggplot with a wrapper around `ggplot2::ggplot() + geom_polygon()`.

Usage

```
gg_polygon(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
```

```
coord = ggplot2::coord_cartesian(clip = "off"),
mode = NULL,
x = NULL,
xmin = NULL,
xmax = NULL,
xend = NULL,
y = NULL,
ymin = NULL,
ymax = NULL,
yend = NULL,
z = NULL,
col = NULL,
facet = NULL,
facet2 = NULL,
group = NULL,
subgroup = NULL,
label = NULL,
text = NULL,
sample = NULL,
mapping = NULL,
x_breaks = NULL,
x_expand = NULL,
x_expand_limits = NULL,
x_labels = NULL,
x_limits = NULL,
x_oob = scales::oob_keep,
x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
```

```

col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .

<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".

title Title string.
subtitle Subtitle string.
caption Caption title string.
titles_to_case A function to format unspecified titles. Defaults to `snakecase::to_sentence_case`.

Value

A ggplot object.

Examples

```

library(ggplot2)
library(dplyr)

set_blanket()

ids <- factor(c("1.1", "2.1", "1.2", "2.2", "1.3", "2.3"))

values <- data.frame(
  id = ids,
  value = c(3, 3.1, 3.1, 3.2, 3.15, 3.5)
)

positions <- data.frame(
  id = rep(ids, each = 4),
  x = c(2, 1, 1.1, 2.2, 1, 0, 0.3, 1.1, 2.2, 1.1, 1.2, 2.5, 1.1, 0.3,
        0.5, 1.2, 2.5, 1.2, 1.3, 2.7, 1.2, 0.5, 0.6, 1.3),
  y = c(-0.5, 0, 1, 0.5, 0, 0.5, 1.5, 1, 0.5, 1, 2.1, 1.7, 1, 1.5,
        2.2, 2.1, 1.7, 2.1, 3.2, 2.8, 2.1, 2.2, 3.3, 3.2)
)

datapoly <- merge(values, positions, by = c("id"))

datapoly |>
  gg_polygon(
    x = x,
    y = y,
    col = value,
    group = id,
  )

```

gg_qq

Qq ggplot

Description

Create a qq ggplot with a wrapper around `ggplot2::ggplot()` + `geom_qq()`.

Usage

```
gg_qq(  
  data = NULL,  
  ...,  
  stat = "qq",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
  y_limits = NULL,  
  y_oob = scales::oob_keep,  
  y_position = "left",  
  y_title = NULL,  
  y_transform = NULL,  
  col_breaks = NULL,  
  col_expand_limits = NULL,  
  col_labels = NULL,  
  col_legend_ncol = NULL,  
)
```

```

col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.

<code>x_expand, y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".

facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  gg_qq(
    sample = body_mass_g,
    facet = species,
    coord = coord_cartesian(clip = "on"),
  ) +
  geom_qq_line(
    colour = blue,
  )
```

gg_quantile

Quantile ggplot

Description

Create an quantile ggplot with a wrapper around `ggplot2::ggplot() + geom_quantile()`.

Usage

```
gg_quantile(  
  data = NULL,  
  ...,  
  stat = "quantile",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
  y_limits = NULL,  
  y_oob = scales::oob_keep,  
  y_position = "left",  
  y_title = NULL,  
  y_transform = NULL,  
  col_breaks = NULL,  
  col_expand_limits = NULL,  
  col_labels = NULL,  
  col_legend_ncol = NULL,
```

```

col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.

<code>x_expand, y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".

facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
if (requireNamespace("quantreg", quietly = TRUE)) {
  library(ggplot2)
  library(palmerpenguins)

  set_blanket()

  penguins |>
    gg_quantile(
      x = flipper_length_mm,
      y = body_mass_g,
    )
}
```

 gg_raster

Raster ggplot

Description

Create a raster ggplot with a wrapper around `ggplot2::ggplot() + geom_raster()`.

Usage

```
gg_raster(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
```



```
mode = NULL,  
x = NULL,  
xmin = NULL,  
xmax = NULL,  
xend = NULL,  
y = NULL,  
ymin = NULL,  
ymax = NULL,  
yend = NULL,  
z = NULL,  
col = NULL,  
facet = NULL,  
facet2 = NULL,  
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),
```

```

col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a <code>params</code> list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .

<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".

title Title string.
subtitle Subtitle string.
caption Caption title string.
titles_to_case A function to format unspecified titles. Defaults to `snakecase::to_sentence_case`.

Value

A ggplot object.

Examples

```

library(ggplot2)
library(dplyr)

set_blanket()

faithfuld |>
  gg_raster(
    x = waiting,
    y = eruptions,
    col = density,
  )

```

gg_rect

Rect ggplot

Description

Create a rect ggplot with a wrapper around `ggplot2::ggplot() + geom_rect()`.

Usage

```

gg_rect(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
)

```

```
yend = NULL,  
z = NULL,  
col = NULL,  
facet = NULL,  
facet2 = NULL,  
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,  
facet_axis_labels = "margins",  
facet_labels = NULL,  
facet_layout = NULL,  
facet_ncol = NULL,
```

```

facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a <code>params</code> list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .

<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_*</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

data.frame(
  x = rep(c(2, 5, 7, 9, 12), 2),
  y = rep(c(1, 2), each = 5),
  z = factor(c(rep(1:4, each = 2), 5, NA)),
  w = rep(diff(c(0, 4, 6, 8, 10, 14)), 2)) |>
  mutate(
    xmin = x - w / 2,
    xmax = x + w / 2,
    ymin = y,
    ymax = y + 1
  ) |>
  gg_rect(
    xmin = xmin,
    xmax = xmax,
    ymin = ymin,
    ymax = ymax,
    col = z,
  )
```

gg_ribbon

Ribbon ggplot

Description

Create a ribbon ggplot with a wrapper around `ggplot2::ggplot() + geom_ribbon()`

Usage

```
gg_ribbon(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
```



```
xend = NULL,  
y = NULL,  
ymin = NULL,  
ymax = NULL,  
yend = NULL,  
z = NULL,  
col = NULL,  
facet = NULL,  
facet2 = NULL,  
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,
```

```

facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks, y_breaks, col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand, y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits, y_expand_limits, col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels, y_labels, col_labels, facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).

<code>x_limits, y_limits, col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob, y_oob, col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_*</code> prefix (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

data.frame(year = 1875:1972, level = as.vector(LakeHuron)) |>
  mutate(level_min = level - 1, level_max = level + 1) |>
  gg_ribbon(
    x = year,
    ymin = level_min,
    ymax = level_max,
    colour = NA,
    x_labels = \"(x) x\",
    y_title = \"Level\",
  ) +
  geom_line(mapping = aes(y = level))
```

gg_rug

Rug ggplot

Description

Create a rug ggplot with a wrapper around `ggplot2::ggplot() + geom_rug()`.

Usage

```
gg_rug(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
```

```
col = NULL,  
facet = NULL,  
facet2 = NULL,  
group = NULL,  
subgroup = NULL,  
label = NULL,  
text = NULL,  
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,  
facet_axis_labels = "margins",  
facet_labels = NULL,  
facet_layout = NULL,  
facet_ncol = NULL,  
facet_nrow = NULL,  
facet_scales = "fixed",
```

```

facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .

<code>x_position, y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title, y_title, col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_ prefix</code> (e.g. "log10").
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  gg_rug(
    x = flipper_length_mm,
    y = body_mass_g,
    col = sex,
  )
```

gg_segment

Segment ggplot

Description

Create a segment ggplot with a wrapper around `ggplot2::ggplot() + geom_segment()`.

Usage

```
gg_segment(
  data = NULL,
  ...,
  stat = "identity",
  position = "identity",
  coord = ggplot2::coord_cartesian(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
  col = NULL,
  facet = NULL,
  facet2 = NULL,
  group = NULL,
  subgroup = NULL,
  label = NULL,
  text = NULL,
```



```
sample = NULL,  
mapping = NULL,  
x_breaks = NULL,  
x_expand = NULL,  
x_expand_limits = NULL,  
x_labels = NULL,  
x_limits = NULL,  
x_oob = scales::oob_keep,  
x_position = "bottom",  
x_title = NULL,  
x_transform = NULL,  
y_breaks = NULL,  
y_expand = NULL,  
y_expand_limits = NULL,  
y_labels = NULL,  
y_limits = NULL,  
y_oob = scales::oob_keep,  
y_position = "left",  
y_title = NULL,  
y_transform = NULL,  
col_breaks = NULL,  
col_expand_limits = NULL,  
col_labels = NULL,  
col_legend_ncol = NULL,  
col_legend_nrow = NULL,  
col_legend_rev = FALSE,  
col_limits = NULL,  
col_oob = scales::oob_keep,  
col_palette = NULL,  
col_palette_na = NULL,  
col_rescale = scales::rescale(),  
col_steps = FALSE,  
col_title = NULL,  
col_transform = NULL,  
facet_axes = NULL,  
facet_axis_labels = "margins",  
facet_labels = NULL,  
facet_layout = NULL,  
facet_ncol = NULL,  
facet_nrow = NULL,  
facet_scales = "fixed",  
facet_space = "fixed",  
title = NULL,  
subtitle = NULL,  
caption = NULL,  
titles_to_case = snakecase::to_sentence_case  
)
```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .
<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use + <code>ggplot2::labs(... = NULL)</code> for no title.

<code>x_transform, y_transform, col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_prefix</code> (e.g. <code>"log10"</code>).
<code>col_legend_ncol, col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> . Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with <code>"margins"</code> , <code>"all"</code> , <code>"all_x"</code> , or <code>"all_y"</code> .
<code>facet_layout</code>	Whether the layout is to be <code>"wrap"</code> or <code>"grid"</code> . If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to <code>"wrap"</code> . If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to <code>"grid"</code> .
<code>facet_ncol, facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of <code>"wrap"</code> .
<code>facet_scales</code>	Whether facet scales should be <code>"fixed"</code> across facets, <code>"free"</code> in both directions, or free in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>facet_space</code>	When the facet layout is <code>"grid"</code> and facet scales are not <code>"fixed"</code> , whether facet space should be <code>"fixed"</code> across facets, <code>"free"</code> to be proportional in both directions, or free to be proportional in just one direction (i.e. <code>"free_x"</code> or <code>"free_y"</code>). Defaults to <code>"fixed"</code> .
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()
```

```
data.frame(x1 = 2.62, x2 = 3.57, y1 = 21.0, y2 = 15.0) |>
  gg_segment(
    x = x1,
    xend = x2,
    y = y1,
    yend = y2,
  )
```

gg_sf

Sf ggplot

Description

Create a blank ggplot with a wrapper around `ggplot2::ggplot() + geom_sf()`.

Usage

```
gg_sf(
  data = NULL,
  ...,
  stat = "sf",
  position = "identity",
  coord = ggplot2::coord_sf(clip = "off"),
  mode = NULL,
  x = NULL,
  xmin = NULL,
  xmax = NULL,
  xend = NULL,
  y = NULL,
  ymin = NULL,
  ymax = NULL,
  yend = NULL,
  z = NULL,
  col = NULL,
  facet = NULL,
  facet2 = NULL,
  group = NULL,
  subgroup = NULL,
  label = NULL,
  text = NULL,
  sample = NULL,
  mapping = NULL,
  x_breaks = NULL,
  x_expand = NULL,
  x_expand_limits = NULL,
  x_labels = NULL,
```

```

x_limits = NULL,
x_oob = scales::oob_keep,
x_position = "bottom",
x_title = NULL,
x_transform = NULL,
y_breaks = NULL,
y_expand = NULL,
y_expand_limits = NULL,
y_labels = NULL,
y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").

position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a position_*() function that outputs a ggproto Position subclass object (e.g. ggplot2::position_identity()).
coord	A coordinate system. A coord_*() function that outputs a constructed ggproto Coord subclass object (e.g. ggplot2::coord_cartesian()).
mode	A *_mode_* theme (e.g. light_mode_t(), grey_mode_r(), or dark_mode_r()). This argument adds the theme with side-effects, as the gg_* function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of gg_*.
x, xmin, xmax, xend, y, ymin, ymax, yend, z, col, facet, facet2, group, subgroup, label, text, sample	An unquoted aesthetic variable.
mapping	A set of additional aesthetic mappings in ggplot2::aes(). Intended primarily for non-supported aesthetics (e.g. shape, linetype, linewidth, or size), but can also be used for delayed evaluation etc.
x_breaks, y_breaks, col_breaks	A scales::breaks_* function (e.g. scales::breaks_pretty()), or a vector of breaks.
x_expand, y_expand	Padding to the limits with the ggplot2::expansion() function, or a vector of length 2 (e.g. c(0, 0)).
x_expand_limits, y_expand_limits, col_expand_limits	For a continuous variable, any values that the limits should encompass (e.g. 0). For a discrete scale, manipulate the data instead with forcats::fct_expand.
x_labels, y_labels, col_labels, facet_labels	A function that takes the breaks as inputs (e.g. \(\times\) stringr::str_to_sentence(x) or scales::label_comma()), or a vector of labels (Note this must be named for facet_labels).
x_limits, y_limits, col_limits	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with factor, forcats::fct_expand or forcats::fct_drop.
x_oob, y_oob, col_oob	For a continuous scale, a scales::oob_* function of how to handle values outside of limits. Defaults to scales::oob_keep.
x_position, y_position	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using y_position = "top" with a *_mode_* theme, add caption = "" or caption = "\n".
x_title, y_title, col_title	Axis title string. Use + ggplot2::labs(... = NULL) for no title.
x_transform, y_transform, col_transform	For a continuous scale, a transformation object (e.g. scales::transform_log10()) or character string of this minus the transform_ prefix (e.g. "log10").
col_legend_ncol, col_legend_nrow	The number of columns and rows in a legend guide.

<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes + <code>*_mode_*</code> () may be needed.
<code>facet_axis_labels</code>	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
<code>facet_layout</code>	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or <code>facet2</code>) argument is provided, then defaults to "wrap". If NULL and both <code>facet</code> and <code>facet2</code> arguments are provided, defaults to "grid".
<code>facet_ncol</code> , <code>facet_nrow</code>	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
<code>facet_scales</code>	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>facet_space</code>	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
<code>title</code>	Title string.
<code>subtitle</code>	Subtitle string.
<code>caption</code>	Caption title string.
<code>titles_to_case</code>	A function to format unspecified titles. Defaults to <code>snakecase::to_sentence_case</code> .

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

if (requireNamespace("sf", quietly = TRUE)) {
  sf::st_read(system.file("shape/nc.shp", package = "sf")) |>
    gg_sf(
      col = AREA,
    )
}
```

`gg_smooth`*Smooth ggplot*

Description

Create a smooth ggplot with a wrapper around `ggplot2::ggplot() + geom_smooth()`.

Usage

```
gg_smooth(  
  data = NULL,  
  ...,  
  stat = "smooth",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```



```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  tidyr::drop_na(sex) |>
  gg_smooth(
    x = flipper_length_mm,
    y = body_mass_g,
    col = sex,
    se = TRUE,
  )
```

`gg_step`*Step ggplot*

Description

Create a step plot with a wrapper around `ggplot2::ggplot() + geom_step()`.

Usage

```
gg_step(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

economics |>
  gg_step(
    x = date,
    y = unemploy,
    coord = ggplot2::coord_cartesian(clip = "on"),
    x_limits = c(lubridate::ymd("2010-01-01"), lubridate::NA_Date_),
    y_expand_limits = 0,
    y_title = "Unemployment",
  )
```

`gg_text`*Text ggplot*

Description

Create a text plot with a wrapper around `ggplot2::ggplot() + geom_text()`.

Usage

```
gg_text(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```



```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)

set_blanket()

bind_rows(
  mtcars |> slice_min(order_by = mpg),
  mtcars |> slice_max(order_by = mpg) |>
  tibble::rownames_to_column("model") |>
  gg_text(
    x = model,
    y = mpg,
    col = mpg,
    label = model,
    y_expand_limits = 0,
    y_title = "Miles per gallon",
    col_palette = c(orange, "white", teal),
  )
)
```

`gg_tile`*Tile ggplot*

Description

Create a tile plot with a wrapper around `ggplot2::ggplot() + geom_tile()`.

Usage

```
gg_tile(  
  data = NULL,  
  ...,  
  stat = "identity",  
  position = "identity",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```

```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

data	A data frame or tibble.
...	Other arguments passed to within a params list in <code>layer()</code> .
stat	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
position	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*()</code> function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
coord	A coordinate system. A <code>coord_*()</code> function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
mode	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will remove selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  group_by(species, sex) |>
  summarise(across(flipper_length_mm, \(x) mean(x, na.rm = TRUE))) |>
  gg_tile(
    x = sex,
    y = species,
    col = flipper_length_mm,
  )
```

`gg_violin`*Violin ggplot*

Description

Create a violin plot with a wrapper around `ggplot2::ggplot() + geom_violin()`.

Usage

```
gg_violin(  
  data = NULL,  
  ...,  
  stat = "ydensity",  
  position = "dodge",  
  coord = ggplot2::coord_cartesian(clip = "off"),  
  mode = NULL,  
  x = NULL,  
  xmin = NULL,  
  xmax = NULL,  
  xend = NULL,  
  y = NULL,  
  ymin = NULL,  
  ymax = NULL,  
  yend = NULL,  
  z = NULL,  
  col = NULL,  
  facet = NULL,  
  facet2 = NULL,  
  group = NULL,  
  subgroup = NULL,  
  label = NULL,  
  text = NULL,  
  sample = NULL,  
  mapping = NULL,  
  x_breaks = NULL,  
  x_expand = NULL,  
  x_expand_limits = NULL,  
  x_labels = NULL,  
  x_limits = NULL,  
  x_oob = scales::oob_keep,  
  x_position = "bottom",  
  x_title = NULL,  
  x_transform = NULL,  
  y_breaks = NULL,  
  y_expand = NULL,  
  y_expand_limits = NULL,  
  y_labels = NULL,  
)
```



```

y_limits = NULL,
y_oob = scales::oob_keep,
y_position = "left",
y_title = NULL,
y_transform = NULL,
col_breaks = NULL,
col_expand_limits = NULL,
col_labels = NULL,
col_legend_ncol = NULL,
col_legend_nrow = NULL,
col_legend_rev = FALSE,
col_limits = NULL,
col_oob = scales::oob_keep,
col_palette = NULL,
col_palette_na = NULL,
col_rescale = scales::rescale(),
col_steps = FALSE,
col_title = NULL,
col_transform = NULL,
facet_axes = NULL,
facet_axis_labels = "margins",
facet_labels = NULL,
facet_layout = NULL,
facet_ncol = NULL,
facet_nrow = NULL,
facet_scales = "fixed",
facet_space = "fixed",
title = NULL,
subtitle = NULL,
caption = NULL,
titles_to_case = snakecase::to_sentence_case
)

```

Arguments

<code>data</code>	A data frame or tibble.
<code>...</code>	Other arguments passed to within a params list in <code>layer()</code> .
<code>stat</code>	A statistical transformation to use on the data. A snakecase character string of a ggproto Stat subclass object minus the Stat prefix (e.g. "identity").
<code>position</code>	A position adjustment. A snakecase character string of a ggproto Position subclass object minus the Position prefix (e.g. "identity"), or a <code>position_*</code> () function that outputs a ggproto Position subclass object (e.g. <code>ggplot2::position_identity()</code>).
<code>coord</code>	A coordinate system. A <code>coord_*</code> () function that outputs a constructed ggproto Coord subclass object (e.g. <code>ggplot2::coord_cartesian()</code>).
<code>mode</code>	A <code>*_mode_*</code> theme (e.g. <code>light_mode_t()</code> , <code>grey_mode_r()</code> , or <code>dark_mode_r()</code>). This argument adds the theme with side-effects, as the <code>gg_*</code> function will removes selected gridlines/axis-line/ticks. To avoid these side-effects, + the theme on to the output of <code>gg_*</code> .

<code>x</code> , <code>xmin</code> , <code>xmax</code> , <code>xend</code> , <code>y</code> , <code>ymin</code> , <code>ymax</code> , <code>yend</code> , <code>z</code> , <code>col</code> , <code>facet</code> , <code>facet2</code> , <code>group</code> , <code>subgroup</code> , <code>label</code> , <code>text</code> , <code>sample</code>	An unquoted aesthetic variable.
<code>mapping</code>	A set of additional aesthetic mappings in <code>ggplot2::aes()</code> . Intended primarily for non-supported aesthetics (e.g. <code>shape</code> , <code>linetype</code> , <code>linewidth</code> , or <code>size</code>), but can also be used for delayed evaluation etc.
<code>x_breaks</code> , <code>y_breaks</code> , <code>col_breaks</code>	A <code>scales::breaks_*</code> function (e.g. <code>scales::breaks_pretty()</code>), or a vector of breaks.
<code>x_expand</code> , <code>y_expand</code>	Padding to the limits with the <code>ggplot2::expansion()</code> function, or a vector of length 2 (e.g. <code>c(0, 0)</code>).
<code>x_expand_limits</code> , <code>y_expand_limits</code> , <code>col_expand_limits</code>	For a continuous variable, any values that the limits should encompass (e.g. <code>0</code>). For a discrete scale, manipulate the data instead with <code>forcats::fct_expand</code> .
<code>x_labels</code> , <code>y_labels</code> , <code>col_labels</code> , <code>facet_labels</code>	A function that takes the breaks as inputs (e.g. <code>\(x) stringr::str_to_sentence(x)</code> or <code>scales::label_comma()</code>), or a vector of labels (Note this must be named for <code>facet_labels</code>).
<code>x_limits</code> , <code>y_limits</code> , <code>col_limits</code>	For a continuous scale, a vector of length 2 to determine the limits of the scale. For a discrete scale, manipulate the data instead with <code>factor</code> , <code>forcats::fct_expand</code> or <code>forcats::fct_drop</code> .
<code>x_oob</code> , <code>y_oob</code> , <code>col_oob</code>	For a continuous scale, a <code>scales::oob_*</code> function of how to handle values outside of limits. Defaults to <code>scales::oob_keep</code> .
<code>x_position</code> , <code>y_position</code>	The position of the axis (i.e. "left", "right", "bottom" or "top"). If using <code>y_position = "top"</code> with a <code>*_mode_*</code> theme, add <code>caption = ""</code> or <code>caption = "\n"</code> .
<code>x_title</code> , <code>y_title</code> , <code>col_title</code>	Axis title string. Use <code>+ ggplot2::labs(... = NULL)</code> for no title.
<code>x_transform</code> , <code>y_transform</code> , <code>col_transform</code>	For a continuous scale, a transformation object (e.g. <code>scales::transform_log10()</code>) or character string of this minus the <code>transform_*</code> prefix (e.g. "log10").
<code>col_legend_ncol</code> , <code>col_legend_nrow</code>	The number of columns and rows in a legend guide.
<code>col_legend_rev</code>	TRUE or FALSE of whether to reverse the elements of a legend guide. Defaults to FALSE.
<code>col_palette</code>	Colour palette to use. A character vector of hex codes (or names).
<code>col_palette_na</code>	Colour palette to use for NA values. A character value of a hex code (or name).
<code>col_rescale</code>	For a continuous variable, a <code>scales::rescale()</code> function.
<code>col_steps</code>	For a continuous variable, TRUE or FALSE of whether to colour in steps. Defaults to FALSE.
<code>facet_axes</code>	Whether to add interior axes and ticks with "margins", "all", "all_x", or "all_y". Sometimes <code>+ *_mode_*</code> () may be needed.

facet_axis_labels	Whether to add interior axis labels with "margins", "all", "all_x", or "all_y".
facet_layout	Whether the layout is to be "wrap" or "grid". If NULL and a single facet (or facet2) argument is provided, then defaults to "wrap". If NULL and both facet and facet2 arguments are provided, defaults to "grid".
facet_ncol, facet_nrow	The number of columns and rows of facet panels. Only applies to a facet layout of "wrap".
facet_scales	Whether facet scales should be "fixed" across facets, "free" in both directions, or free in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
facet_space	When the facet layout is "grid" and facet scales are not "fixed", whether facet space should be "fixed" across facets, "free" to be proportional in both directions, or free to be proportional in just one direction (i.e. "free_x" or "free_y"). Defaults to "fixed".
title	Title string.
subtitle	Subtitle string.
caption	Caption title string.
titles_to_case	A function to format unspecified titles. Defaults to snakecase::to_sentence_case.

Value

A ggplot object.

Examples

```
library(ggplot2)
library(dplyr)
library(palmerpenguins)

set_blanket()

penguins |>
  tidyr::drop_na(sex) |>
  mutate(across(sex, \(x) stringr::str_to_sentence(x))) |>
  gg_violin(
    x = sex,
    y = body_mass_g,
    col = sex,
    facet = species,
    mode = light_mode_b(),
  )
```

grey	<i>A grey colour</i>
------	----------------------

Description

A grey colour.

Usage

```
grey
```

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(grey)
```

greyness	<i>The grey_mode_* theme colours</i>
----------	--------------------------------------

Description

A vector of 3 colours used in the grey_mode_* themes for the for the text, axis.line (and axis.ticks), panel.grid, panel.background and plot.background etc.

Usage

```
greyness
```

Format

An object of class character of length 3.

Value

A character vector.

Examples

```
scales::show_col(greyness)
```

grey_mode_b

Grey mode theme with bottom legend

Description

Grey mode theme with bottom legend using greyness colours.

Usage

```
grey_mode_b(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#f6f8faff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#fcfdfeff",
  plot_background_fill = "#f6f8faff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)
```

Arguments

<code>base_size</code>	The base size of the text theme element. Defaults to 11.
<code>base_family</code>	The base family of the text theme element. Defaults to "".
<code>base_colour</code>	The base colour of the text theme element.
<code>axis_line_colour</code>	The colour of the axis.line theme element.
<code>axis_line_linewidth</code>	The linewidth of the axis.line theme element.
<code>axis_ticks_colour</code>	The colour of the axis.ticks theme element.

<code>axis_ticks_linewidth</code>	The linewidth of the <code>axis.ticks</code> theme element.
<code>axis_ticks_length_x</code>	The length of the <code>axis.ticks.length.x</code> theme element.
<code>axis_ticks_length_y</code>	The length of the <code>axis.ticks.length.y</code> theme element.
<code>panel_grid_colour</code>	The colour of the <code>panel.grid</code> theme element.
<code>panel_grid_linewidth</code>	The linewidth of the <code>panel.grid</code> theme element.
<code>panel_background_fill</code>	The fill (and colour) of the <code>panel.background</code> theme element.
<code>plot_background_fill</code>	The fill (and colour) of the <code>plot.background</code> theme element.
<code>legend_axis_line_colour</code>	The colour of the <code>legend.axis.line</code> theme element.
<code>legend_axis_line_linewidth</code>	The linewidth of the <code>legend.axis.line</code> theme element.
<code>legend_background_fill</code>	The fill (and colour) of the <code>legend.background</code> theme element.
<code>legend_key_fill</code>	The fill (and colour) of the <code>legend.key</code> theme element.
<code>legend_ticks_colour</code>	The colour of the <code>legend.ticks</code> theme element.
<code>legend_ticks_linewidth</code>	The linewidth of the <code>legend.ticks</code> theme element.
<code>legend_ticks_length</code>	The <code>legend.ticks.length</code> theme element.
<code>orientation</code>	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the <code>mode</code> argument of <code>gg_*</code> functions.
<code>...</code>	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
```

```

    col = species,
    mode = grey_mode_b()
  )

```

grey_mode_n

Grey mode theme with no legend

Description

Grey mode theme with no legend using greyness colours.

Usage

```

grey_mode_n(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#f6f8faff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#fcfdfeff",
  plot_background_fill = "#f6f8faff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)

```

Arguments

base_size	The base size of the text theme element. Defaults to 11.
base_family	The base family of the text theme element. Defaults to "".
base_colour	The base colour of the text theme element.
axis_line_colour	The colour of the axis.line theme element.

<code>axis_line_linewidth</code>	The linewidth of the <code>axis.line</code> theme element.
<code>axis_ticks_colour</code>	The colour of the <code>axis.ticks</code> theme element.
<code>axis_ticks_linewidth</code>	The linewidth of the <code>axis.ticks</code> theme element.
<code>axis_ticks_length_x</code>	The length of the <code>axis.ticks.length.x</code> theme element.
<code>axis_ticks_length_y</code>	The length of the <code>axis.ticks.length.y</code> theme element.
<code>panel_grid_colour</code>	The colour of the <code>panel.grid</code> theme element.
<code>panel_grid_linewidth</code>	The linewidth of the <code>panel.grid</code> theme element.
<code>panel_background_fill</code>	The fill (and colour) of the <code>panel.background</code> theme element.
<code>plot_background_fill</code>	The fill (and colour) of the <code>plot.background</code> theme element.
<code>legend_axis_line_colour</code>	The colour of the <code>legend.axis.line</code> theme element.
<code>legend_axis_line_linewidth</code>	The linewidth of the <code>legend.axis.line</code> theme element.
<code>legend_background_fill</code>	The fill (and colour) of the <code>legend.background</code> theme element.
<code>legend_key_fill</code>	The fill (and colour) of the <code>legend.key</code> theme element.
<code>legend_ticks_colour</code>	The colour of the <code>legend.ticks</code> theme element.
<code>legend_ticks_linewidth</code>	The linewidth of the <code>legend.ticks</code> theme element.
<code>legend_ticks_length</code>	The <code>legend.ticks.length</code> theme element.
<code>orientation</code>	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the <code>mode</code> argument of <code>gg_*</code> functions.
<code>...</code>	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()
```



```
penguins |>
  gg_jitter(
    x = species,
    y = body_mass_g,
    col = species,
    mode = grey_mode_n()
  )
```

`grey_mode_r`*Grey mode theme with right legend*

Description

Grey mode theme with right legend using greyness colours.

Usage

```
grey_mode_r(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#f6f8faff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#fcfdfeff",
  plot_background_fill = "#f6f8faff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)
```

Arguments

<code>base_size</code>	The base size of the text theme element. Defaults to 11.
<code>base_family</code>	The base family of the text theme element. Defaults to "".

<code>base_colour</code>	The base colour of the text theme element.
<code>axis_line_colour</code>	The colour of the axis.line theme element.
<code>axis_line_linewidth</code>	The linewidth of the axis.line theme element.
<code>axis_ticks_colour</code>	The colour of the axis.ticks theme element.
<code>axis_ticks_linewidth</code>	The linewidth of the axis.ticks theme element.
<code>axis_ticks_length_x</code>	The length of the axis.ticks.length.x theme element.
<code>axis_ticks_length_y</code>	The length of the axis.ticks.length.y theme element.
<code>panel_grid_colour</code>	The colour of the panel.grid theme element.
<code>panel_grid_linewidth</code>	The linewidth of the panel.grid theme element.
<code>panel_background_fill</code>	The fill (and colour) of the panel.background theme element.
<code>plot_background_fill</code>	The fill (and colour) of the plot.background theme element.
<code>legend_axis_line_colour</code>	The colour of the legend.axis.line theme element.
<code>legend_axis_line_linewidth</code>	The linewidth of the legend.axis.line theme element.
<code>legend_background_fill</code>	The fill (and colour) of the legend.background theme element.
<code>legend_key_fill</code>	The fill (and colour) of the legend.key theme element.
<code>legend_ticks_colour</code>	The colour of the legend.ticks theme element.
<code>legend_ticks_linewidth</code>	The linewidth of the legend.ticks theme element.
<code>legend_ticks_length</code>	The legend.ticks.length theme element.
<code>orientation</code>	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of <code>gg_*</code> functions.
<code>...</code>	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```

library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = species,
    mode = grey_mode_r()
  )

```

grey_mode_t

Grey mode theme with top legend

Description

Grey mode theme with top legend using greyness colours.

Usage

```

grey_mode_t(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#f6f8faff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#fcfdfeff",
  plot_background_fill = "#f6f8faff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)

```

Arguments

<code>base_size</code>	The base size of the text theme element. Defaults to 11.
<code>base_family</code>	The base family of the text theme element. Defaults to "".
<code>base_colour</code>	The base colour of the text theme element.
<code>axis_line_colour</code>	The colour of the axis.line theme element.
<code>axis_line_linewidth</code>	The linewidth of the axis.line theme element.
<code>axis_ticks_colour</code>	The colour of the axis.ticks theme element.
<code>axis_ticks_linewidth</code>	The linewidth of the axis.ticks theme element.
<code>axis_ticks_length_x</code>	The length of the axis.ticks.length.x theme element.
<code>axis_ticks_length_y</code>	The length of the axis.ticks.length.y theme element.
<code>panel_grid_colour</code>	The colour of the panel.grid theme element.
<code>panel_grid_linewidth</code>	The linewidth of the panel.grid theme element.
<code>panel_background_fill</code>	The fill (and colour) of the panel.background theme element.
<code>plot_background_fill</code>	The fill (and colour) of the plot.background theme element.
<code>legend_axis_line_colour</code>	The colour of the legend.axis.line theme element.
<code>legend_axis_line_linewidth</code>	The linewidth of the legend.axis.line theme element.
<code>legend_background_fill</code>	The fill (and colour) of the legend.background theme element.
<code>legend_key_fill</code>	The fill (and colour) of the legend.key theme element.
<code>legend_ticks_colour</code>	The colour of the legend.ticks theme element.
<code>legend_ticks_linewidth</code>	The linewidth of the legend.ticks theme element.
<code>legend_ticks_length</code>	The legend.ticks.length theme element.
<code>orientation</code>	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of gg_* functions.
<code>...</code>	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = species,
    mode = grey_mode_t()
  )
```

jumble

A categorical colour palette

Description

A categorical colour palette with 7 colours.

Usage

```
jumble
```

Format

An object of class character of length 7.

Value

A character vector.

Examples

```
scales::show_col(jumble)
```

lightness	<i>The light_mode_* theme colours</i>
-----------	---------------------------------------

Description

A vector of 3 colours used in the light_mode_* themes for the for the text, axis.line (and axis.ticks), panel.grid, panel.background and plot.background etc.

Usage

```
lightness
```

Format

An object of class character of length 3.

Value

A character vector.

Examples

```
scales::show_col(lightness)
```

light_mode_b	<i>Light mode theme with bottom legend</i>
--------------	--

Description

Light mode theme with bottom legend using lightness colours.

Usage

```
light_mode_b(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#f6f8faff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#ffffff",
)
```

```

plot_background_fill = "#ffffff",
legend_axis_line_colour = plot_background_fill,
legend_axis_line_linewidth = 0.33,
legend_background_fill = plot_background_fill,
legend_key_fill = plot_background_fill,
legend_ticks_colour = legend_axis_line_colour,
legend_ticks_linewidth = legend_axis_line_linewidth,
legend_ticks_length = ggplot2::rel(c(0.175, 0)),
orientation = NULL,
...
)

```

Arguments

base_size	The base size of the text theme element. Defaults to 11.
base_family	The base family of the text theme element. Defaults to "".
base_colour	The base colour of the text theme element.
axis_line_colour	The colour of the axis.line theme element.
axis_line_linewidth	The linewidth of the axis.line theme element.
axis_ticks_colour	The colour of the axis.ticks theme element.
axis_ticks_linewidth	The linewidth of the axis.ticks theme element.
axis_ticks_length_x	The length of the axis.ticks.length.x theme element.
axis_ticks_length_y	The length of the axis.ticks.length.y theme element.
panel_grid_colour	The colour of the panel.grid theme element.
panel_grid_linewidth	The linewidth of the panel.grid theme element.
panel_background_fill	The fill (and colour) of the panel.background theme element.
plot_background_fill	The fill (and colour) of the plot.background theme element.
legend_axis_line_colour	The colour of the legend.axis.line theme element.
legend_axis_line_linewidth	The linewidth of the legend.axis.line theme element.
legend_background_fill	The fill (and colour) of the legend.background theme element.
legend_key_fill	The fill (and colour) of the legend.key theme element.

legend_ticks_colour	The colour of the legend.ticks theme element.
legend_ticks_linewidth	The linewidth of the legend.ticks theme element.
legend_ticks_length	The legend.ticks.length theme element.
orientation	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of gg_* functions.
...	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = species,
    mode = light_mode_b()
  )
```

light_mode_n	<i>Light mode theme with no legend</i>
--------------	--

Description

Light mode theme with no legend using lightness colours.

Usage

```
light_mode_n(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
```



```

axis_ticks_length_y = grid::unit(base_size/4, "pt"),
panel_grid_colour = "#f6f8faff",
panel_grid_linewidth = 1.33,
panel_background_fill = "#ffffff",
plot_background_fill = "#ffffff",
legend_axis_line_colour = plot_background_fill,
legend_axis_line_linewidth = 0.33,
legend_background_fill = plot_background_fill,
legend_key_fill = plot_background_fill,
legend_ticks_colour = legend_axis_line_colour,
legend_ticks_linewidth = legend_axis_line_linewidth,
legend_ticks_length = ggplot2::rel(c(0.175, 0)),
orientation = NULL,
...
)

```

Arguments

<code>base_size</code>	The base size of the text theme element. Defaults to 11.
<code>base_family</code>	The base family of the text theme element. Defaults to "".
<code>base_colour</code>	The base colour of the text theme element.
<code>axis_line_colour</code>	The colour of the axis.line theme element.
<code>axis_line_linewidth</code>	The linewidth of the axis.line theme element.
<code>axis_ticks_colour</code>	The colour of the axis.ticks theme element.
<code>axis_ticks_linewidth</code>	The linewidth of the axis.ticks theme element.
<code>axis_ticks_length_x</code>	The length of the axis.ticks.length.x theme element.
<code>axis_ticks_length_y</code>	The length of the axis.ticks.length.y theme element.
<code>panel_grid_colour</code>	The colour of the panel.grid theme element.
<code>panel_grid_linewidth</code>	The linewidth of the panel.grid theme element.
<code>panel_background_fill</code>	The fill (and colour) of the panel.background theme element.
<code>plot_background_fill</code>	The fill (and colour) of the plot.background theme element.
<code>legend_axis_line_colour</code>	The colour of the legend.axis.line theme element.
<code>legend_axis_line_linewidth</code>	The linewidth of the legend.axis.line theme element.
<code>legend_background_fill</code>	The fill (and colour) of the legend.background theme element.

legend_key_fill	The fill (and colour) of the legend.key theme element.
legend_ticks_colour	The colour of the legend.ticks theme element.
legend_ticks_linewidth	The linewidth of the legend.ticks theme element.
legend_ticks_length	The legend.ticks.length theme element.
orientation	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of gg_* functions.
...	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_jitter(
    x = species,
    y = body_mass_g,
    col = species,
    mode = light_mode_n()
  )
```

light_mode_r

Light mode theme with right legend

Description

Light mode theme with right legend using lightness colours.

Usage

```
light_mode_r(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
```

```

axis_ticks_colour = axis_line_colour,
axis_ticks_linewidth = axis_line_linewidth,
axis_ticks_length_x = grid::unit(base_size/3, "pt"),
axis_ticks_length_y = grid::unit(base_size/4, "pt"),
panel_grid_colour = "#f6f8faff",
panel_grid_linewidth = 1.33,
panel_background_fill = "#ffffff",
plot_background_fill = "#ffffff",
legend_axis_line_colour = plot_background_fill,
legend_axis_line_linewidth = 0.33,
legend_background_fill = plot_background_fill,
legend_key_fill = plot_background_fill,
legend_ticks_colour = legend_axis_line_colour,
legend_ticks_linewidth = legend_axis_line_linewidth,
legend_ticks_length = ggplot2::rel(c(0.175, 0)),
orientation = NULL,
...
)

```

Arguments

<code>base_size</code>	The base size of the text theme element. Defaults to 11.
<code>base_family</code>	The base family of the text theme element. Defaults to "".
<code>base_colour</code>	The base colour of the text theme element.
<code>axis_line_colour</code>	The colour of the axis.line theme element.
<code>axis_line_linewidth</code>	The linewidth of the axis.line theme element.
<code>axis_ticks_colour</code>	The colour of the axis.ticks theme element.
<code>axis_ticks_linewidth</code>	The linewidth of the axis.ticks theme element.
<code>axis_ticks_length_x</code>	The length of the axis.ticks.length.x theme element.
<code>axis_ticks_length_y</code>	The length of the axis.ticks.length.y theme element.
<code>panel_grid_colour</code>	The colour of the panel.grid theme element.
<code>panel_grid_linewidth</code>	The linewidth of the panel.grid theme element.
<code>panel_background_fill</code>	The fill (and colour) of the panel.background theme element.
<code>plot_background_fill</code>	The fill (and colour) of the plot.background theme element.
<code>legend_axis_line_colour</code>	The colour of the legend.axis.line theme element.

legend_axis_line_linewidth	The linewidth of the legend.axis.line theme element.
legend_background_fill	The fill (and colour) of the legend.background theme element.
legend_key_fill	The fill (and colour) of the legend.key theme element.
legend_ticks_colour	The colour of the legend.ticks theme element.
legend_ticks_linewidth	The linewidth of the legend.ticks theme element.
legend_ticks_length	The legend.ticks.length theme element.
orientation	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the mode argument of gg_* functions.
...	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = species,
    mode = light_mode_r()
  )
```

light_mode_t

Light mode theme with top legend

Description

Light mode theme with top legend using lightness colours.

Usage

```
light_mode_t(
  base_size = 11,
  base_family = "",
  base_colour = "#121b24ff",
  axis_line_colour = "#121b24ff",
  axis_line_linewidth = 0.33,
  axis_ticks_colour = axis_line_colour,
  axis_ticks_linewidth = axis_line_linewidth,
  axis_ticks_length_x = grid::unit(base_size/3, "pt"),
  axis_ticks_length_y = grid::unit(base_size/4, "pt"),
  panel_grid_colour = "#f6f8faff",
  panel_grid_linewidth = 1.33,
  panel_background_fill = "#ffffff",
  plot_background_fill = "#ffffff",
  legend_axis_line_colour = plot_background_fill,
  legend_axis_line_linewidth = 0.33,
  legend_background_fill = plot_background_fill,
  legend_key_fill = plot_background_fill,
  legend_ticks_colour = legend_axis_line_colour,
  legend_ticks_linewidth = legend_axis_line_linewidth,
  legend_ticks_length = ggplot2::rel(c(0.175, 0)),
  orientation = NULL,
  ...
)
```

Arguments

<code>base_size</code>	The base size of the text theme element. Defaults to 11.
<code>base_family</code>	The base family of the text theme element. Defaults to "".
<code>base_colour</code>	The base colour of the text theme element.
<code>axis_line_colour</code>	The colour of the axis.line theme element.
<code>axis_line_linewidth</code>	The linewidth of the axis.line theme element.
<code>axis_ticks_colour</code>	The colour of the axis.ticks theme element.
<code>axis_ticks_linewidth</code>	The linewidth of the axis.ticks theme element.
<code>axis_ticks_length_x</code>	The length of the axis.ticks.length.x theme element.
<code>axis_ticks_length_y</code>	The length of the axis.ticks.length.y theme element.
<code>panel_grid_colour</code>	The colour of the panel.grid theme element.
<code>panel_grid_linewidth</code>	The linewidth of the panel.grid theme element.

<code>panel_background_fill</code>	The fill (and colour) of the <code>panel.background</code> theme element.
<code>plot_background_fill</code>	The fill (and colour) of the <code>plot.background</code> theme element.
<code>legend_axis_line_colour</code>	The colour of the <code>legend.axis.line</code> theme element.
<code>legend_axis_line_linewidth</code>	The linewidth of the <code>legend.axis.line</code> theme element.
<code>legend_background_fill</code>	The fill (and colour) of the <code>legend.background</code> theme element.
<code>legend_key_fill</code>	The fill (and colour) of the <code>legend.key</code> theme element.
<code>legend_ticks_colour</code>	The colour of the <code>legend.ticks</code> theme element.
<code>legend_ticks_linewidth</code>	The linewidth of the <code>legend.ticks</code> theme element.
<code>legend_ticks_length</code>	The <code>legend.ticks.length</code> theme element.
<code>orientation</code>	The orientation of the plot. Either "x" or "y". Defaults to NULL. Not intended for use with the <code>mode</code> argument of <code>gg_*</code> functions.
<code>...</code>	Provided to support trailing commas only.

Value

A ggplot theme.

Examples

```
library(palmerpenguins)
library(ggplot2)

set_blanket()

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    col = species,
    mode = light_mode_t()
  )
```

navy	<i>A navy colour</i>
------	----------------------

Description

A navy colour.

Usage

navy

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(navy)
```

orange	<i>A orange colour</i>
--------	------------------------

Description

A orange colour.

Usage

orange

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(orange)
```

pink	<i>A pink colour</i>
------	----------------------

Description

A pink colour.

Usage

pink

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(pink)
```

purple	<i>A purple colour</i>
--------	------------------------

Description

A purple colour.

Usage

purple

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(purple)
```

red	<i>A red colour</i>
-----	---------------------

Description

A red colour.

Usage

red

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(red)
```

replace_seq	<i>Replace a sequence of elements in a vector</i>
-------------	---

Description

Keep every nth element in a vector, and replace the rest with a value such as "".

Usage

```
replace_seq(x, ..., keep_nth = 2, offset = 0, replacement = "")
```

Arguments

x	A vector.
...	If numeric, other arguments passed to the scales::comma function.
keep_nth	The increment of elements to keep as is. Defaults to 2.
offset	An offset to start at the intended offset. Defaults to 0. Possible replaces are -1 to (keep_nth - 2)
replacement	The replacement value to replace non-kept elements with. Defaults to "".

Value

A vector.

Examples

```
replace_seq(seq(1000, 7000, 1000))
replace_seq(seq(1000, 7000, 1000), offset = -1)
replace_seq(seq(1000, 7000, 1000), keep_nth = 3)
replace_seq(LETTERS[1:12])
```

set_blanket	<i>Set a default style</i>
-------------	----------------------------

Description

Set a default style by setting a default mode, a series of geom and annotate aesthetic defaults, and a default col_palette for discrete and continuous scales.

Usage

```
set_blanket(
  mode = light_mode_r(),
  geom_colour = "#357ba2",
  geom_linewidth = 0.66,
  geom_size = 1.5,
  annotate_colour = "#121b24",
  annotate_linewidth = 0.33,
  annotate_size = 3.88,
  annotate_family = "",
  col_palette_d = jumble,
  col_palette_na_d = "#cdc5bfff",
  col_palette_c = viridisLite::mako(n = 9, direction = -1),
  col_palette_na_c = "#cdc5bfff",
  theme = light_mode_r(orientation = "x"),
  ...
)
```

Arguments

mode	A default *_mode_*. E.g. light_mode_t() , grey_mode_r() , or dark_mode_r() .
geom_colour	A default hex colour (and fill) for geoms. Fill inherits from this colour. Defaults to blue.
geom_linewidth	A default linewidth for geoms. Fill inherits from this colour. Defaults to 0.66.
geom_size	A default point size for *_point. *_pointrange multiplies this by 0.25. Defaults to 1.5. .
annotate_colour	A default hex colour (and fill) for geoms commonly used for annotation (i.e. *_vline, *_hline, *_abline, *_curve, *_text and *_label). Defaults to "#121b24" (i.e. "#121b24").

annotate_linewidth	A default linewidth for geoms commonly used for annotation (i.e. *_vline, *_hline, *_abline, *_curve, *_text and *_label). Defaults to 0.33 (i.e. 0.33).
annotate_size	A default size for *_text and *_label. Defaults to 3.88.
annotate_family	A default family for *_text and *_label. Defaults to ""
col_palette_d	A default col_palette to use in the discrete scale. A character vector of hex codes (or names).
col_palette_na_d	A default colour for NA on a discrete scale. A hex code or name.
col_palette_c	A default col_palette to use in the continuous scale. A character vector of hex codes (or names).
col_palette_na_c	A default colour for NA on a continuous scale. A hex code or name.
theme	A default ggplot2 theme to be +-ed on unmodified to gg_* functions. Note, mode takes precedence, unless mode = NULL.
...	Provided to support trailing commas only.

Value

A globally set style.

Examples

```
library(ggplot2)
library(ggblanket)
library(palmerpenguins)

set_blanket(
  mode = dark_mode_r(),
  geom_colour = orange,
  annotate_colour = "#c8d7df",
)

penguins |>
  gg_point(
    x = flipper_length_mm,
    y = body_mass_g,
    x_breaks = scales::breaks_pretty(3),
  ) +
  geom_vline(xintercept = 200) +
  annotate("text", x = I(0.25), y = I(0.75), label = "Here")

penguins |>
  gg_histogram(
    x = flipper_length_mm,
    x_breaks = scales::breaks_pretty(3),
  ) +
```

```
geom_vline(xintercept = 200) +
  annotate("text", x = I(0.75), y = I(0.75), label = "Here")
```

teal	<i>A teal colour</i>
------	----------------------

Description

A teal colour.

Usage

```
teal
```

Format

An object of class character of length 1.

Value

A character vector.

Examples

```
scales::show_col(teal)
```

weave_annotate_aes	<i>Set a series of annotate defaults</i>
--------------------	--

Description

Update a series of geom defaults commonly used for annotation (i.e. *_vline, *_hline, *_abline, *_curve, *_text and *_label).

Usage

```
weave_annotate_aes(
  colour = "#121b24",
  linewidth = 0.33,
  size = 3.88,
  family = ""
)
```

Arguments

colour	A default hex colour (and fill) for geoms commonly used for annotation (i.e. *_vline, *_hline, *_abline, *_curve, *_text and *_label). Defaults to "#121b24" (i.e. "#121b24").
linewidth	A default linewidth for geoms commonly used for annotation (i.e. *_vline, *_hline, *_abline, *_curve, *_text and *_label). Defaults to 0.33 (i.e. 0.33).
size	A default size for *_text and *_label. Defaults to 3.88.
family	A default family for *_text and *_label. Defaults to ""

weave_col_palette_c *Set a default continuous colour palette*

Description

Set a default continuous colour palette

Usage

```
weave_col_palette_c(
  new = viridisLite::mako(n = 9, direction = -1),
  na = "#cdc5bfff"
)
```

Arguments

new	Colour palette to use for continuous scale. A character vector of hex codes (or names).
na	A default colour for NA on a continuous scale. A hex code or name.

weave_col_palette_d *Set a default discrete colour palette*

Description

Set a default discrete colour palette

Usage

```
weave_col_palette_d(new = jumble, na = "#cdc5bfff")
```

Arguments

new	Colour palette to use for discrete scale. A character vector of hex codes (or names).
na	A default colour for NA on a discrete scale. A hex code or name.

weave_geom_aes	<i>Set a series of geom defaults</i>
----------------	--------------------------------------

Description

Update a series of geom defaults.

Usage

```
weave_geom_aes(colour = "#357ba2", linewidth = 0.66, size = 1.5)
```

Arguments

colour	A default hex colour (and fill) for geoms. Fill inherits from this colour. Defaults to blue.
linewidth	A default linewidth for geoms. Fill inherits from this colour. Defaults to 0.66.
size	A default point size for *_point. *_pointrange multiplies this by 0.25. Defaults to 1.5. .

weave_mode	<i>Set a default mode</i>
------------	---------------------------

Description

Set a default mode for the mode argument in gg_* functions.

Usage

```
weave_mode(new = light_mode_r())
```

Arguments

new	A default *_mode_*. E.g. light_mode_t() , grey_mode_r() , or dark_mode_r() .
-----	--

weave_theme	<i>Set a default theme</i>
-------------	----------------------------

Description

Set a default theme to be +-ed on unmodified to gg_* functions. Note, mode takes precedence unless NULL.

Usage

```
weave_theme(new = light_mode_r(orientation = "x"))
```

Arguments

new A default ggplot2 theme to be +-ed on unmodified to gg_* functions.

Index

- * **datasets**
 - blue, [5](#)
 - darkness, [5](#)
 - grey, [164](#)
 - greyness, [164](#)
 - jumble, [173](#)
 - lightness, [174](#)
 - navy, [183](#)
 - orange, [183](#)
 - pink, [184](#)
 - purple, [184](#)
 - red, [185](#)
 - teal, [188](#)
- aes_contrast, [3](#)
- blue, [5](#)
- dark_mode_b, [6](#)
- dark_mode_n, [8](#)
- dark_mode_r, [10](#)
- dark_mode_r(), [16](#), [20](#), [24](#), [28](#), [32](#), [35](#), [39](#), [43](#),
[47](#), [51](#), [55](#), [59](#), [63](#), [67](#), [71](#), [75](#), [78](#), [82](#),
[86](#), [90](#), [94](#), [98](#), [102](#), [106](#), [110](#), [114](#),
[118](#), [122](#), [126](#), [130](#), [134](#), [138](#), [142](#),
[145](#), [149](#), [153](#), [157](#), [161](#), [186](#), [190](#)
- dark_mode_t, [12](#)
- darkness, [5](#)
- geom_area(), [14](#)
- geom_bar(), [18](#)
- geom_bin_2d(), [22](#)
- geom_blank(), [26](#)
- geom_boxplot(), [30](#)
- geom_col(), [34](#)
- geom_contour(), [38](#)
- geom_contour_filled(), [41](#)
- geom_crossbar(), [45](#)
- geom_density(), [49](#)
- geom_density_2d(), [53](#)
- geom_density_2d_filled(), [57](#)
- geom_errorbar(), [61](#)
- geom_freqpoly(), [65](#)
- geom_function(), [69](#)
- geom_hex(), [73](#)
- geom_histogram(), [77](#)
- geom_jitter(), [81](#)
- geom_label(), [85](#)
- geom_line(), [89](#)
- geom_linerange(), [92](#)
- geom_path(), [96](#)
- geom_point(), [100](#)
- geom_pointrange(), [104](#)
- geom_polygon(), [108](#)
- geom_qq(), [112](#)
- geom_quantile(), [116](#)
- geom_raster(), [120](#)
- geom_rect(), [124](#)
- geom_ribbon(), [128](#)
- geom_rug(), [132](#)
- geom_segment(), [136](#)
- geom_sf(), [140](#)
- geom_smooth(), [144](#)
- geom_step(), [148](#)
- geom_text(), [152](#)
- geom_tile(), [156](#)
- geom_violin(), [160](#)
- gg_area, [14](#)
- gg_bar, [18](#)
- gg_bin_2d, [22](#)
- gg_blanket, [26](#)
- gg_boxplot, [30](#)
- gg_col, [34](#)
- gg_contour, [38](#)
- gg_contour_filled, [41](#)
- gg_crossbar, [45](#)
- gg_density, [49](#)
- gg_density_2d, [53](#)
- gg_density_2d_filled, [57](#)

- gg_errorbar, 61
- gg_freqpoly, 65
- gg_function, 69
- gg_hex, 73
- gg_histogram, 77
- gg_jitter, 81
- gg_label, 85
- gg_line, 89
- gg_linerange, 92
- gg_path, 96
- gg_point, 100
- gg_pointrange, 104
- gg_polygon, 108
- gg_qq, 112
- gg_quantile, 116
- gg_raster, 120
- gg_rect, 124
- gg_ribbon, 128
- gg_rug, 132
- gg_segment, 136
- gg_sf, 140
- gg_smooth, 144
- gg_step, 148
- gg_text, 152
- gg_tile, 156
- gg_violin, 160
- ggplot2::aes, 3
- ggplot2::aes(), 16, 20, 24, 28, 32, 36, 40, 43, 47, 51, 55, 59, 63, 67, 71, 75, 79, 83, 87, 91, 94, 98, 102, 106, 110, 114, 118, 122, 126, 130, 134, 138, 142, 146, 150, 154, 158, 162
- ggplot2::coord_cartesian(), 16, 20, 23, 28, 32, 35, 39, 43, 47, 51, 55, 59, 63, 67, 71, 75, 78, 82, 86, 90, 94, 98, 102, 106, 110, 114, 118, 122, 126, 130, 134, 138, 142, 145, 149, 153, 157, 161
- ggplot2::expansion(), 16, 20, 24, 28, 32, 36, 40, 44, 47, 51, 55, 59, 63, 67, 71, 75, 79, 83, 87, 91, 95, 99, 102, 106, 110, 115, 119, 122, 126, 130, 134, 138, 142, 146, 150, 154, 158, 162
- ggplot2::ggplot(), 14, 18, 22, 26, 30, 34, 38, 41, 45, 49, 53, 57, 61, 65, 69, 73, 77, 81, 85, 89, 92, 96, 100, 104, 108, 112, 116, 120, 124, 128, 132, 136, 140, 144, 148, 152, 156, 160
- grey, 164
- grey_mode_b, 165
- grey_mode_n, 167
- grey_mode_r, 169
- grey_mode_r(), 16, 20, 24, 28, 32, 35, 39, 43, 47, 51, 55, 59, 63, 67, 71, 75, 78, 82, 86, 90, 94, 98, 102, 106, 110, 114, 118, 122, 126, 130, 134, 138, 142, 145, 149, 153, 157, 161, 186, 190
- grey_mode_t, 171
- greyness, 164
- jumble, 173
- light_mode_b, 174
- light_mode_n, 176
- light_mode_r, 178
- light_mode_t, 180
- light_mode_t(), 16, 20, 24, 28, 32, 35, 39, 43, 47, 51, 55, 59, 63, 67, 71, 75, 78, 82, 86, 90, 94, 98, 102, 106, 110, 114, 118, 122, 126, 130, 134, 138, 142, 145, 149, 153, 157, 161, 186, 190
- lightness, 174
- navy, 183
- orange, 183
- pink, 184
- purple, 184
- red, 185
- replace_seq, 185
- scales::breaks_pretty(), 16, 20, 24, 28, 32, 36, 40, 43, 47, 51, 55, 59, 63, 67, 71, 75, 79, 83, 87, 91, 94, 98, 102, 106, 110, 114, 118, 122, 126, 130, 134, 138, 142, 146, 150, 154, 158, 162
- scales::label_comma(), 16, 20, 24, 28, 32, 36, 40, 44, 48, 52, 55, 59, 63, 67, 71, 75, 79, 83, 87, 91, 95, 99, 103, 107, 111, 115, 119, 123, 126, 130, 134, 138, 142, 146, 150, 154, 158, 162
- scales::transform_log10(), 17, 20, 24, 28, 32, 36, 40, 44, 48, 52, 56, 60, 64, 68, 72, 75, 79, 83, 87, 91, 95, 99, 103,

*107, 111, 115, 119, 123, 127, 131,
135, 139, 142, 146, 150, 154, 158,
162*

set_blanket, 186

teal, 188

weave_annotate_aes, 188

weave_col_palette_c, 189

weave_col_palette_d, 189

weave_geom_aes, 190

weave_mode, 190

weave_theme, 191